Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1322	375/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/15 14:06
S2	230	finger adj1 block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:53
S3	5	finger adj1 block and direction adj1 metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 17:13
S4	24	"534606"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 17:10
S5	3	"6078600"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 17:09
S6	42	"5982763"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:15
S7	5336	finger\$1 with track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:56
S8	516	finger\$1 with track\$3 with direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:35
S9	1	finger\$1 with track\$3 with direction\$1 with select\$3 with adjust\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:57

S10	0	finger\$1 adj1 block with track\$3 with direction\$1 with select\$3 with adjust\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/01/10 09:57	
S11		finger\$1 with track\$3 with (earl\$3 and late\$1) with select\$3 with adjust\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:58	
S12	41	finger\$1 with track\$3 with (earl\$3 and late\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:58	
S13	2	finger\$1 with ((earl\$3 and late\$1) adj1 track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:59	
S14	27	((earl\$3 and late\$1) adj1 track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:02	
S15	8	joint adj1 time adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:06	
S16	1	finger\$1 with joint adj1 time adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:06	
S17	401	finger\$1 with (earl\$3 and late\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:07	
S18	235	finger\$1 with (earl\$3 and late\$3) and (predetermined or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:08	
S19	85	finger\$1 with (earl\$3 and late\$3) and (predetermined or threshold) and tracking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:14	

		•				
S21	12	"6269075" and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:27
S22	337	finger\$1 adj1 block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:27
S23	13	finger\$1 adj1 block with track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:03
S24	7	block adj finger\$1 with track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:04
S25	945	(earl\$3 and late\$1) with track\$3 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:04
S26	44	(earl\$3 and late\$1) with track\$3 with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:05
S27	2	finger\$1 with (earl\$3 and late\$1) with track\$3 with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:05
S28	11321	two adj1 finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:16
S29	1454	two adj1 finger\$1 and track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:16
S30	1213	two adj1 finger\$1 and track\$3 and direction\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:16

S31	1200	two adj1 finger\$1 and track\$3 and direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:16
S32	54	two adj1 finger\$1 with track\$3 and direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:16
S33	28	two adj1 finger\$1 with track\$3 and direction\$1 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:18
S34	14	two adj1 finger\$1 with track\$3 and (earl\$3 and late\$2)and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:22
S35	0	two adj1 finger\$1 with (earl\$3 and late\$2)adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:22
S36	0	finger\$1 with (earl\$3 and late\$2)adj1 joint adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:23
S37	0	(earl\$3 and late\$2)adj1 joint adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:25
S38	578	joint\$2 adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 09:25
S39	11,	(joint\$2 adj1 track\$3) with finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:14
S40		"6078611" and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:39

	LAST Scarcii History							
S41	1	"20020061052" and forgetting adj1 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:42		
S42	0	power with (earl\$3 and late\$1) adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:43		
S43	18	power and (earl\$3 and late\$1) adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:47		
S44	0	power near (earl\$3 and late\$1) adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:48		
S45	0	power adj1 estimation near (earl\$3 and late\$1) adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:48		
S46	0	power adj1 estimation and (earl\$3 and late\$1) adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:48		
S47	280	power adj1 estimation and track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:48		
S48	20	power adj1 estimation with track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:48		
S49	0	power adj1 estimation with joint\$2 adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:48		
S50	0	power adj1 estimation near joint\$2 adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:48		

				•		
S51	4	power adj1 estimation and joint\$2 adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 10:49
S52	0	"6078611" and diretion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:14
S53	4	"6078611" and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:14
S54	2	"6078611" and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:14
S55	2	"20020061052" and direction adj1 metrics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:49
S56	1	"20020061052" and amplitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TQB	OR	OFF	2005/07/26 15:21
S57	31696	early with late	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 15:21
S58	0	"20020061052" and "126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:12
S59	0	"20020061052" and "124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:12
S60	0	"20020061052" and "120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:12

S61	1	"20020061052" and "110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:38
S62	2	"20020118773"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:38
S63	391229	transmitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 10:17
S64	18	(direction adj1 metrics)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 10:52
S65	7	(direction adj1 metrics) and finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 10:52
S66	2	"20020061052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:15
S67	1	"20020061052" and determiner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:16
S68		"20020061052" and (metrics adj1 selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:16
S69	1	"20020061052" and (metric adj1 selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:16
S70	45	(metric adj1 selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:17

S71	946	metrics and finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:18
S72	120	metrics and finger\$1 and (late and early)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:18
S73	368	metrics and finger\$1 and (late\$1 and earl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:19
S74	17735	(direction near\$1 metrics) and finger\$1 and (late\$1 and earl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:19
S75	5	(direction with metrics) and finger\$1 and (late\$1 and earl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:19
S76	5	(direction adj1 metrics) and finger\$1 and (late\$1 and earl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:20
S77	4	(metrics) and finger\$1 and (late\$1 and earl\$3) and (joint\$3 adj1 track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:20
S78	5	(joint\$3 adj1 track\$3) with metric\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:21
S79	1	(direction adj1 metrics) .clm.	US-PGPUB	OR	OFF	2005/11/10 14:22
S81	5	(metric adj1 selector) .clm.	US-PGPUB	OR	OFF	2005/11/10 14:22
S82	1	((metric adj1 selector)and finger) . clm.	US-PGPUB	OR .	OFF	2005/11/10 14:23
S83	1632	375/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 14:12

S84	9	maximal adj1 metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 14:13
S85	111	antenna adj1 array adj1 direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:24
S86	4	(antenna adj1 array adj1 direction\$1) and finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:25
S87	301	(antenna adj1 array) and direction\$1 and finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:27
S88	92	(antenna adj1 array) and direction\$1 and finger\$1 and lat\$3 and earl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:29
S89	17	(antenna adj1 array) and (direction\$1 with (lat\$3 and earl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:48
S90	6	"6292107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:55
S91	2	"20020039079"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:55
S92	9	maximal adj1 metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:52
S93	1127	multipath with track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/02/14 14:58

			•	-		
S94	54	multipath with track\$3 with direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:20
S95	1961	(antenna adj1 array) with direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:20
S96	0	(antenna adj1 array) with direction\$1 with finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:21
S97	79	(antenna adj1 array) with direction\$1 and finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:21
S98	4	(antenna adj1 array adj1 direction\$1) and finger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:21
S99	111	(antenna adj1 array adj1 direction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 16:14
S10 0	23	"3836970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 10:08
S10 1	10	"3836970" and matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 11:07
S10 2	13	"3836970" and max\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 13:00
S10 3	1	"20020061052" and redefiner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 13:05

S10 4	1	5 "3836970" and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 13:05
S10 5		2 "20020019966"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:41
S10 6		(direction adj1 metric) and finger\$1	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 13:25
S10 7		7 ("5349606" "5648983" "5675616" "5692006" "5764688" "5793796" "6078611").PN.	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/10/10 13:58
S10 8	•	"20010004384"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/10 13:58
S10 9	410	finger\$1 adj1 track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 09:57
S11 0	227	(finger\$1 adj1 track\$3) and direction\$1	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2006/10/11 10:06
			DERWENT; IBM_TDB			
S11 1		(finger\$1 adj1 track\$3) and direction\$1 and (adjust\$3 adj1 finger\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 10:02
S11 2	1	(track\$3 adj1 two adj1 fingers) and direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 10:06
S11 3	97	(track\$3 adj1 fingers) and direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 10:28

S11	19	(joint adj1 track\$3) and	'US-PGPUB;	OR	OFF	2006/10/11 10:28
4		direction\$1 and finger\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB			, , , , = = =
S11 5	4	(joint adj1 track\$3) and direction\$1 and rake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 10:29
S11 6	5	(joint adj1 track\$3) and rake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:12
S11 7	20969	finger\$1 with switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:14
S11 8	. 0	finger\$1 with switch\$3 with deactive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:13
S11 9	4	finger\$1 with switch\$3 and deactive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:14
S12 0	90	finger\$1 with rake with switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:23
S12 1	4	maximal adj1 direction adj1 metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:49
S12 2	511	finger\$1 and rake with (switch\$3 bypass\$3 deactiv\$3 off turn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:24

	<u></u>					
S12 3	511	finger\$1 and rake with (switch\$3 bypass\$3 deactiv\$3 off turn\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:25
S12 4	846	finger\$1 and rake with (switch\$3 bypass\$3 deactiv\$3 off turn\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:25
S12 5	566	finger\$1 with (switch\$3 bypass\$3 deactiv\$3 off turn\$3) and rake	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 09:54
S12 6	255	finger\$1 with switch\$3 and rake	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 09:32
S12 7	1812	fingers with switches	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 09:33
S12 8	547	fingers with switches with (control\$4 or select\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 09:34
S12 9	13	fingers with switches with (control\$4 or select\$3) and rake	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 09:36
S13 0	0	fingers with switches with metric\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 09:37

	1		<u></u>	·		
S13 1	67	fingers with metric\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 09:37
S13 2	22	fingers with metrics	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 11:54
S13 3	6	fingers with (direction adj1 metrics)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 11:54
S13 4	7	fingers and (direction adj1 metrics)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 11:55
S13 5	19	(direction adj1 metrics)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 12:34
S13 6	483	fingers and on and off	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 12:34
S13 7	118	fingers and on and off and switch\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 12:34
S13 8		fingers and on and off and switch\$3 and rake	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 13:02

S13 9	37191	fingers and (test\$3 or calibrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 13:02
S14 0	573	fingers and (test\$3 or calibrat\$3) and rake	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 13:03
S14 1	303	fingers and (test\$3 or calibrat\$3) and (rake adj1 receiver)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 13:03

10/15/06 3:31:47 PM C:\Documents and Settings\EZheng\My Documents\EAST\Workspaces\09966753.wsp